


PRODUCTION ON SITE



MK10

THERMAL TRANSFER PRINTER

- **Compact heavy duty printer for high demand production for wire, cable and component marking.**
- **Feeds, prints and cuts bulk PARTEX profiles and self adhesive profiles.**
- **MK10 is a very cost effective identification system for use in panel building and electrical installations.**
- **USB connection, controlled by PARTEX software WinSign.**

SPECIFICATION

GENERAL

MK10 is a modern thermal transfer printer for PARTEX PO-profiles for all needs of wire and cable marking with high production speed (up to 125 mm/sec).

MK10 has a direct connection to computer by mean of USB cable and is controlled by PARTEX software WinSign.

It prints on profile direct from reel and semi detaches the marker at wished lengths with the built in cutting unit.

In addition to PO-profile the MK10 prints on heat shrink tubing and PARTEX component marker PPA profile.

PRINTER DATA

Thermal transfer printing:
300 dpi print resolution.

Printing speed:
125 mm/s.

PC connection:
USB 2.0 connection and PARTEX software WinSign.

Power supply:
100 - 240V (50-60Hz).
Power consumption: max 300 W.
CE-certified.

Measurements:
(L x W x H): 446x242x275mm.

Weight:
9 Kg.

Operation data:
Operating temperature: +10°C to +35°C
Humidity: 30 - 85 % not condensing
To obtain the best printing result, the temperature of the profile shouldn't be lower then +25°C.

PRODUCT AND ORDERING INFORMATION

ARTICLE NUMBER	INFO	PACK UNIT (MOQ)
Printer and accessories		
MK10-KIT1	Printer MK10, Cutting unit, Software WinSign, Ribbon (MK10-RBR7125) and USB cable	1 pce
MK10-RBR7125	Black Ribbon (Type R71) , width: 25mm	360m / Roll
MK10-RBR7138	Black Ribbon (Type R71) , width: 38mm	360m / Roll
MK10-RBR71105	Black Ribbon (Type R71), width: 105mm	360m / Roll
MK10-CU	Cutting unit (Included in MK10-KIT1)	1 pce
MK-RS	Reel stand	1 pce
PLA77020WSNT	Software: LabelSoft (English)	1 pce
PLA77070WSNT	Software: LabelSoft (French)	1 pce
PLA77120WSNT	Software: LabelSoft (German)	1 pce
Marker tag profile		
PP-04600SN*	PP-marker tag profile H=4.6mm, for PT+, PTC, PTM10 and PM-10	15.0m / Compact disc
PP-09000SN*	PP-marker tag profile H=9.0mm, for PTM20 and PM-20	18.0m / Compact disc
Cabinet and Component markers		
PPA09000SN*	PP-profile with adhesive for component markers etc.	10.0m / Compact disc
PP-04600SN*	PP-profile H=4.6 mm, for Wagos TopJobs terminal blocks	15.0m / Compact disc
PP-06300SN9	PP-profile H=6.3 mm, for Phoenix terminal blocks (UT2.5, UTTB2.5, ST4, DT2.5, QTC, DTI2.5)	15.0m / Compact disc
PP-10000SN9	PP-profile H=10.2 mm, for Entrelecs terminal blocks	15.0m / Compact disc
PP-11000SN9	PP-profile H=11.0 mm, for Wagos TopJobs terminal blocks	12.0m / Compact disc
Heat Shrink Tubing		
PHZ20032BN*	Heat Shrink , Diam 3.2mm, shrink ration 2:1, Zerex	200m / Reel
PHZ20048BN*	Heat Shrink , Diam 4.8mm, shrink ration 2:1, Zerex	200m / Reel
PHZ20064BN*	Heat Shrink , Diam 6.4mm, shrink ration 2:1, Zerex	150m / Reel
PHZ20095BN*	Heat Shrink , Diam 9.5mm, shrink ration 2:1, Zerex	150m / Reel
PHZ20127BN*	Heat Shrink , Diam 12.7mm, shrink ration 2:1, Zerex	100m / Reel
PHZF20191BN*	Flat Heat Shrink , Diam 19.1mm, shrink ration 2:1, Zerex	50m / Reel
PHZF20254BN*	Flat Heat Shrink , Diam 25.4mm, shrink ration 2:1, Zerex	50m / Reel
PHZF20381BN*	Flat Heat Shrink , Diam 38.1mm, shrink ration 2:1, Zerex	25m / Reel
PHZF20504BN*	Flat Heat Shrink , Diam 50.4mm, shrink ration 2:1, Zerex	25m / Reel
PO-profile		
PO-01000BN*	PO-profile 0.25mm ² . Diam 1.3-1.8mm	250m / Reel
PO-02000BN*	PO-profile 0.5mm ² . Diam 1.7-2.2mm	250m / Reel
PO-03000BN*	PO-profile 0.75mm ² Diam 2.0-2.5mm	250m / Reel
PO-04000BN*	PO-profile 1.0mm ² Diam 2.2-2.8mm	200m / Reel
PO-05000BN*	PO-profile 1.5mm ² Diam 2.7-3.5mm	200m / Reel
PO-06000BN*	PO-profile 2.5mm ² Diam 3.2-4.0mm	200m / Reel
PO-068TWBN*	PO-068TW profile with thin wall Diam 6.8-7.0 mm	50m / Reel
PO-07000BN*	PO-profile 4.0mm ² Diam 3.8-4.7mm	100m / Reel
PO-08000BN*	PO-profile 6.0mm ² . Diam. 4.6-5.5mm	100m / Reel
PO-09000BN*	PO-profile 10.0mm ² Diam 5.6-7.0mm	50m / Reel
POZ01000KN*	POZ-profile Zerex 0.25mm ² . Diam 1.3-1.8mm	250m / Carton
POZ02000KN*	POZ-profile Zerex 0.5mm ² . Diam. 1.7-2.2mm	250m / Carton
POZ03000KN*	POZ-profile Zerex 0.75mm ² Diam 2.0-2.5mm	250m / Carton
POZ04000KN*	POZ-profile Zerex 1.0mm ² Diam 2.2-2.8mm	200m / Carton
POZ05000KN*	POZ-profile Zerex 1.5mm ² Diam 2.7-3.5mm	200m / Carton
POZ06000KN*	POZ-profile Zerex 2.5mm ² Diam 3.2-4.0mm	200m / Carton
POZ07000KN*	POZ-profile Zerex 4.0mm ² Diam 3.8-4.7mm	100m / Carton
POZ08000KN*	POZ-profile Zerex 6.0mm ² . Diam. 4.6-5.5mm	100m / Carton
POZ09000KN*	POZ-profile 10.0mm ² Diam 5.6-7.0mm	50m / Carton
Cable markers		
PKZ20KN*	PKZ20 profile Zerex	100m / Carton
PKZ20QKN*	PKZ20 profile punched, 10mm between the punched holes, Zerex	100m / Carton

Other sizes of packaging are available. Please contact PARTEX

PRODUCT AND ORDERING INFORMATION

THERMAL TRANSFER LABELS, POLYESTER

Printing with thermal transfer printer, waste removed, rounded corners.

Material: S0-5 and S7 series polyester, matte yellow S0, white S3, silver S1 and security film S5, S2 polyester silver gloss, S4 white gloss.

Package: 1 roll. Core 38 or 76 mm (1.496 or 2.992 inch).

Polyester labels, 1-track or 3-track, core diameter 38 mm (1.496 inch), perforated, 5 rolls/box.

ARTICLE NUMBER			SIZE		TRACK	QUANTITY/ROLL
S0 YELLOW MATTE	S1 SILVER MATTE	S3 WHITE MATTE	MM	INCH		
PLT8K101S04-1/3	PLT8K101S18-3/3	PLT8K101S39-2/3	15 X 6	.591 X .236	3	10000
PLT8K102S04-1/3	PLT8K102S18-3/3	PLT8K102S39-2/3	18 X 6.5	.709 X .256	3	10000
PLT8K103S04-1/3	PLT8K103S18-3/3	PLT8K103S39-2/3	18 X 9	.709 X .354	3	10000
PLT8K106S04-1/3	PLT8K106S18-3/3	PLT8K106S39-2/3	20 X 8	.787 X .315	3	10000
PLT8K105S04-1	PLT8K105S18-3	PLT8K105S39-2	25.4 X 12.7	1 X .5	1	2000
PLT8K105S04-1/3	PLT8K105S18-3/3	PLT8K105S39-2/3	25.4 X 12.7	1 X .5	3	10000
PLT8K108S04-1	PLT8K108S18-3	PLT8K108S39-2	26 X 10	1.024 X .394	1	2000
PLT8K108S04-1/3	PLT8K108S18-3/3	PLT8K108S39-2/3	26 X 10	1.024 X .394	3	10000
PLT8K109S04-1/3	PLT8K109S18-3/3	PLT8K109S39-2/3	26.5 X 17.5	1.043 X .689	1	5000
PLT8K104S04-1	PLT8K104S18-3	PLT8K104S39-2	30 X 20	1.181 X .787	3	2000
PLT8K104S04-1/3	PLT8K104S18-3/3	PLT8K104S39-2/3	30 X 20	1.181 X .787	1	6000
PLT8K111S04-1	PLT8K111S18-3	PLT8K111S39-2	32 X 9.5	1.260 X .374	3	2000
PLT8K111S04-1/3	PLT8K111S18-3/3	PLT8K111S39-2/3	32 X 9.5	1.260 X .374	1	10000
PLT8K115S04-1	PLT8K115S18-3	PLT8K115S39-2	38 X 19	1.496 X .748	1	2000
PLT8K121S04-1	PLT8K121S18-3	PLT8K121S39-2	45 X 23	1.772 X .906	1	2000
PLT8K130S04-1	PLT8K130S18-3	PLT8K130S39-2	50 X 23	1.969 X .906	1	2000
PLT8K134S04-1	PLT8K134S18-3	PLT8K134S39-2	60 X 36	2.362 X 1.417	1	1000
PLT8K135S04-1	PLT8K135S18-3	PLT8K135S39-2	65 X 35	2.559 X 1.378	1	1000
PLT8K133S04-1	PLT8K133S18-3	PLT8K133S39-2	65 X 53	2.559 X 2.087	1	750
PLT8K136S04-1	PLT8K136S18-3	PLT8K136S39-2	70 X 48	2.756 X 1.890	1	1000
PLT8K139S04-1	PLT8K139S18-3	PLT8K139S39-2	89 X 82	3.504 X 3.228	1	500
PLT8K140S04-1	PLT8K140S18-3	PLT8K140S39-2	101.6 X 23	4 X .906	1	2000
PLT8K137S04-1	PLT8K137S18-3	PLT8K137S39-2	101.6 X 48	4 X 1.890	1	1000
PLT8K138S04-1	PLT8K138S18-3	PLT8K138S39-2	101.6 X 74	4 X 2.913	1	500
PLT8K141S04-1	PLT8K141S18-3	PLT8K141S39-2	101.6 X 150	4 X 5.906	1	300

ARTICLE NUMBER			SIZE		TRACK	QUANTITY/ROLL
S2 SILVER GLOSSY	S4 WHITE GLOSSY	S5 SECURITY	MM	INCH		
PLT8K101S28-4/3	PLT8K101S49-5/3	PLT8K101S58-6/3	15 X 6	.591 X .236	3	10000
PLT8K102S28-4/3	PLT8K102S49-5/3	PLT8K102S58-6/3	18 X 6.5	.709 X .256	3	10000
PLT8K103S28-4/3	PLT8K103S49-5/3	PLT8K103S58-6/3	18 X 9	.709 X .354	3	10000
PLT8K106S28-4/3	PLT8K106S49-5/3	PLT8K106S58-6/3	20 X 8	.787 X .315	3	10000
PLT8K105S28-4	PLT8K105S49-5	PLT8K105S58-6	25.4 X 12.7	1 X .5	1	2000
PLT8K105S28-4/3	PLT8K105S49-5/3	PLT8K105S58-6/3	25.4 X 12.7	1 X .5	3	10000
PLT8K108S28-4	PLT8K108S49-5	PLT8K108S58-6	26 X 10	1.024 X .394	1	2000
PLT8K108S28-4/3	PLT8K108S49-5/3	PLT8K108S58-6/3	26 X 10	1.024 X .394	3	10000
PLT8K109S28-4/3	PLT8K109S49-5/3	PLT8K109S58-6/3	26.5 X 17.5	1.043 X .689	1	5000
PLT8K104S28-4	PLT8K104S49-5	PLT8K104S58-6	30 X 20	1.181 X .787	3	2000
PLT8K104S28-4/3	PLT8K104S49-5/3	PLT8K104S58-6/3	30 X 20	1.181 X .787	1	6000
PLT8K111S28-4	PLT8K111S49-5	PLT8K111S58-6	32 X 9.5	1.260 X .374	3	2000
PLT8K111S28-4/3	PLT8K111S49-5/3	PLT8K111S58-6/3	32 X 9.5	1.260 X .374	1	10000
PLT8K115S28-4	PLT8K115S49-5	PLT8K115S58-6	38 X 19	1.496 X .748	1	2000
PLT8K121S28-4	PLT8K121S49-5	PLT8K121S58-6	45 X 23	1.772 X .906	1	2000
PLT8K130S28-4	PLT8K130S49-5	PLT8K130S58-6	50 X 23	1.969 X .906	1	2000
PLT8K134S28-4	PLT8K134S49-5	PLT8K134S58-6	60 X 36	2.362 X 1.417	1	1000
PLT8K135S28-4	PLT8K135S49-5	PLT8K135S58-6	65 X 35	2.559 X 1.378	1	1000
PLT8K133S28-4	PLT8K133S49-5	PLT8K133S58-6	65 X 53	2.559 X 2.087	1	750
PLT8K139S28-4	PLT8K139S49-5	PLT8K139S58-6	89 X 82	3.504 X 3.228	1	500
PLT8K140S28-4	PLT8K140S49-5	PLT8K140S58-6	101.6 X 23	4 X .906	1	2000
PLT8K137S28-4	PLT8K137S49-5	PLT8K137S58-6	101.6 X 48	4 X 1.890	1	1000
PLT8K138S28-4	PLT8K138S49-5	PLT8K138S58-6	101.6 X 74	4 X 2.913	1	500
PLT8K141S28-4	PLT8K141S49-5	PLT8K141S58-6	101.6 X 150	4 X 5.906	1	300

THERMAL TRANSFER WRITE-ON LABELS ON ROLLS

Self laminating write-ons cable markings with write-on field

Material: S7 transparent polyester film.

Package: Rolls with 3 and 5 rows depending on label size.

ARTICLE NUMBER		SIZE		ROW/TRACKS	WRITE-ON FIELD		LABELS/ROLL
YELLOW	WHITE	MM	INCH		MM	INCH	
PLT81400S74	PLT81410S79	17.8 X 34	.701 X 1.339	5	16 X 13	.629 X .511	3000
PLT81440S74	PLT81430S79	22.8 X 55	.898 X 2.165	3	21 X 16	.826 X .511	2400
PLT81390S74	-	25.0 X 35.0	.984 X 1.378	3	25 X 14	.984 X .551	4500
PLT81450S74	PLT81460S79	25.0 X 76.0	.984 X 2.992	3	23 X 19	.905 X .748	1800
PLT81420S74	-	25.0 X 140.0	.984 X 5.512	3	24 X 25	.944 X .984	1050
PLT81470S74	PLT81480S79	35.6 X 93.0	1.402 X 3.661	3	34 X 25	1.338 X .984	1500